

HA-100 系列

安卓室內機

特性

- 嵌入式安卓作業系統,符合 H.323 通訊協議標準
- 全數位 TCP/IP 網路架構
- 10"/7"多點觸控螢幕
- 內建多迴路保全警報並可自定義迴路型態
- 一戶可安裝多台室內分機
- 戶戶對講功能,並無通話迴路數限制
- 具備來電顯示及未接通顯示功能
- 支援門口機保全設定及解除功能
- 主動監視各棟門口機影像
- 室內控制開啟各棟門鎖
- 可接收物業管制中心各類資訊及查詢



- 訪客影音留言功能
- 內建無線功能
- 免持通話設計,可選購支援智慧型手機接聽功能
- 與 SHC100 整合雲端控制系統
- 多種樣式安裝:埋入式/移動式
- 多色系選擇:銀/金/紅



| 型號 | HA-101 | HA-102 | HA-103 | HA-071 | HA-072 |
|---------------|---------------------------|----------------------------|----------------------------|-------------------------|-------------------------|
| 面板尺寸(英寸) | 埋入式(標準型) 10.1" TFT-LCD | 埋入式(附按鈕型) 10.1" TFT-LCD | 掛壁式(可分離型) 10.1" TFT-LCD | 掛壁式(可分離型) 7" TFT-LCD | 掛壁式(附按鈕型) 7" TFT-LCD |
| 設備尺寸LxHxD(mm) | 300x218x12 | 300x218x12 | 211x134x13 | 211x134x13 | 245x150x23 |
| 顏色種類 | 銀/金/紅 | | 白 | 白 | 銀 |
| 解析度 | 1024x600 | | | | 800x480 |
| 觸控方式 | 多點觸控電容式 | | | | 按鍵式 |
| 工作溫度 | -10~55°C | | | | |
| 通訊方式 | TCP/IP | | | | |
| 輸出接口 | RJ-45 | | | | |
| 通訊協議 | H.323 | | | | |
| 輸出迴路點 | 7點 | | | 6點 | |
| 作業系統 | Andriod 4.0.1以上 | | | | |
| 供應電源/消耗功率 | 直流DC 12V /5~7.5W | | | 直流DC 12V /3.5~5W | |

性能應用比較:



| 比較項目 | HA100 室內機 | 市售室內機 |
|---------|-------------|-----------|
| 擴充性 | 可灌安卓 App | 封閉式 |
| 通訊方式 | 標準 H.323 | 封閉式 |
| 安裝工法 | 埋入或掛璧或移動分離型 | 埋入 |
| 觸控方式 | 多點 | 單點 |
| 解析度 | >800x480 | >600x320 |
| 接口方式 | RJ45 | 專用介面 |
| 整合性 | 高 | 需用廠牌商自我產品 |
| 記憶體擴充 | 有 | 無 |
| HDMI 支援 | 有 | 無 |



| 比較項目 | HA100 室內機 | 市售室內機 |
|-------|-------------|-------|
| 相容性 | 只需加裝 APP | 無 |
| 網路攝影機 | 支援 | 不支援 |
| 對講功能 | 雙向 | 單向 |
| 語言介面 | 繁中/簡中/英文/日文 | 繁中/英文 |
| 無線支援 | 有 | 無 |
| AP 主機 | 可當 AP 主機 | 無 |
| 門禁支援 | 有 | 無 |

應用領域:



1. 住宅監控

*新住宅解決方案:

集中式管理只需網路線快速部署自
宅屋內設備的要求

*舊住宅解決方案:

掛壁式安裝不受建物牆影響搭配無
線上網與下層其他廠牌快速串接



4. 遠端對講

*訪客解決方案:

訪客留言隨時隨地掌握來訪人員

*外地解決方案:

即時訪客輕鬆一鍵為訪客提前開門
迎賓



2. 異地監控

*海外解決方案:

使用智慧手機應用軟體在異地即時
了解住宅內狀況解決異地無法搖控
需求問題



5. 門禁保全

*離屋解決方案:

透過上網直接快速一鍵選擇設定住
宅保全設定

*自定解決方案:

任意搭配組數自由選擇保全設備連
鎖啟動



3. 排程管理

*家電解決方案:

自由排程時間開啟家電設備解決住
戶未到家已於提早開啟自我管控家
電運作的需求

*節能解決方案:

根據住戶自我生活習慣自由調整排
程啟動節約省電的需求



6. 樓宇物業管理

*樓宇解決方案:

與中央主機互動快速部署社區資訊
及接受住戶需求資訊

*租屋使用解決方案:

無繳費情況立即鎖定為屋主提供即
時性的管理協助解除用戶卡機時差
風險

安卓室內機 HA-100 系列

| 訂購資訊 | | |
|-------------------------|-----|-----------|
| HA | 編碼 | 型號類型 |
| ↓ | 101 | 埋入式(標準型) |
| | 102 | 埋入式(附按鈕型) |
| | 103 | 掛壁式(可分離型) |
| | 071 | 掛壁式(可分離型) |
| | 072 | 掛壁式(附按鈕型) |
| HA | | 完整下單型號 |
| | | |
| *注意:使用客製化廠牌年購單需達1000組以上 | | |

HA-100 Series

Android Touch Screens

Specification

- Embedded Android Systems, With Standard H.323Protocol
- Full digital TCP/IP Network architecture
- 10"/7" Multi-Touch display
- Built-in multi-loop maintenance alerts and custom circuit patterns
- One can install multiple indoor extension
- Household intercom function, unlimited number call of loops
- Caller ID and missed on display
- Support the door machine setting and releasing function preservation
- Active surveillance camera image of each building entrance
- Indoor control all buildings open door
- Property Control Centre can receive various kinds of information and inquiry



- Visitor audio message function
- Built-in wireless capabilities
- Hands-free call design, optional support smart phone answering function
- Integration with the cloud SHC100 control system
- installation of a variety of styles: embedded / mobile
- Multiple color options: silver / gold / red



| Model No. | HA-101 | HA-102 | HA-103 | HA-071 | HA-072 | | |
|--------------------------|------------------------|-------------------|-----------------|-----------------|-----------------|--|--|
| | Embedded (Standard) | Embedded (Button) | In-Wall(Remove) | In-Wall(Remove) | In-Wall(Button) | | |
| Panel size(inch) | 10.1" TFT-LCD | 10.1" TFT-LCD | 10.1" TFT-LCD | 7" TFT-LCD | 7" TFT-LCD | | |
| Case size LxHxD(mm) | 300x218x12 | 300x218x12 | 211x134x13 | 211x134x13 | 245x150x23 | | |
| Color | Silver / Gold / Red | | White | White | Silver | | |
| Resolution | 1024x600 | | | | 800x480 | | |
| Touch mode | Capacitive multi-touch | | | | Button | | |
| Operating temperature | -10~55°C | | | | | | |
| Communication | TCP/IP | | | | | | |
| Output Interface | RJ-45 | | | | | | |
| Protocol | H.323 | | | | | | |
| Output point | 7 Points Loop | | | 6Points Loop | | | |
| Operating system | Andriod 4.0.1以上 | | | | | | |
| Power supply/consumption | DC 12V /5~7.5W | | DC 12V /3.5~5W | | | | |

Performance comparison:



| Item | HA100 touch screens | Normal touch screens |
|------------------|-------------------------------|--|
| Scalability | Add to extend App | Closed type |
| Communication | Standard H.323 | Closed type |
| Installation | Embedded or In-Wall or Remove | Embedded |
| Touch mode | Multiple point | One point |
| Resolution | >800x480 | >600x320 |
| Interface | RJ45 | Manufacturer Interface |
| Integration | Good | Need to use the self-brand products of the suppliers |
| Memory Expansion | With | No |
| HDMI Support | With | NO |



| Item | HA100 touch screens | Normal touch screens |
|--------------------|--|-----------------------------|
| compatibility | Add to extend APP easy | No |
| Webcam | Support | Unavailable |
| Intercom function | Two-way | One-Way |
| Language Interface | Traditional Chinese / Simplified Chinese /English/Japanese | Traditional Chinese/English |
| Wireless Support | With | No |
| AP Host Support | Setup to AP master | No |
| Access Support | With | NO |

Applications:



1. Residential Monitoring

*New Residential Solutions:

Centralized network management line just fast subordinates from the house premises equipment requirements

*Old Residential Solutions:

Effect of In-Wall mounted hanging wall was not built with wireless Internet access and lower other brands Fast series



4. Remote Intercom

*Visitors Solution:

Guestbook grasp visiting staff anytime

*Business trip Solution:

Instant visitors relaxed a key to open the door to welcome visitors in advance



2. Remote Monitoring

*Overseas Solutions:

Smartphone application software using instant understanding in different places in different places within the residential status cannot solve the problem remote demand



3. Scheduling Management

*Home equipment solutions:

Free scheduling time to solve household appliances not yet reached the open house was open earlier demand self-control appliance operation

*Energy-saving solutions:

Scheduled to start saving energy-efficient household demand freedom of self-lifestyle adjustments



5. Access Preservation

*Leaving the house solutions:

A key to select the setting housing preservation settings via the Internet directly and quickly

*Custom Solutions:

With the freedom to choose any number of group preservation equipment chain start



6. Building Property Management

*Building Solutions:

Interactive Quick subordinates community information and demand information and to accept household central host

*Rent Homeowners use solutions::

No payment of premiums to homeowners locked immediately provide real-time management assistance to lift the user card machine risk difference

Android Touch Screens HA-100 Series

| Ordering Information | | |
|----------------------|------|------------------------|
| HA | Code | Type |
| ↓ | 101 | Embedded (Standard) |
| | 102 | Embedded (Button) |
| | 103 | In-Wall(Remove) |
| | 071 | In-Wall(Remove) |
| | 072 | In-Wall(Button) |
| HA | | Complete Ordering Code |

* Note: Using customer Logo launch to more than 1000 units for one year

HA-100 系列

安卓室内机

特性

- 嵌入式安卓操作系统,符合 H.323 通讯协议标准
- 全数位 TCP/IP 网络架构
- 10"/7"多点触控萤幕
- 内建多回路保全警报并可自定义回路型态
- 一户可安装多台室内分机
- 户户对讲功能,并无通话回路数限制
- 具备来电显示及未接通显示功能
- 支持门口机保全设定及解除功能
- 主动监视各栋门口机影像
- 室内控制开启各栋门锁
- 可接收物业管制中心各类信息及查询



- 访客影音留言功能
- 内建无线功能
- 免持通话设计,可选购支持智能型手机接听功能
- 与 SHC100 整合云端控制系统
- 多种样式安装:埋入式/移动式
- 多色系选择:银/金/红



| 型号 | HA-101 | HA-102 | HA-103 | HA-071 | HA-072 |
|---------------|------------------|---------------|------------------|------------|------------|
| | 埋入式(标准型) | 埋入式(附按钮型) | 挂壁式(可分离型) | 挂壁式(可分离型) | 挂壁式(附按钮型) |
| 面板尺寸(英寸) | 10.1" TFT-LCD | 10.1" TFT-LCD | 10.1" TFT-LCD | 7" TFT-LCD | 7" TFT-LCD |
| 设备尺寸LxHxD(mm) | 300x218x12 | 300x218x12 | 211x134x13 | 211x134x13 | 245x150x23 |
| 颜色种类 | 银/金/红 | | 白 | 白 | 银 |
| 分辨率 | 1024x600 | | | | 800x480 |
| 触控方式 | 多点触控电容式 | | | | 按键式 |
| 工作温度 | -10~55°C | | | | |
| 通讯方式 | TCP/IP | | | | |
| 输出接口 | RJ-45 | | | | |
| 通讯协议 | H.323 | | | | |
| 输出回路点 | 7点 | | 6点 | | |
| 操作系统 | Andriod 4.0.1以上 | | | | |
| 供应电源/消耗功率 | 直流DC 12V /5~7.5W | | 直流DC 12V /3.5~5W | | |

性能应用比较:


| 比较项目 | HA100 室内机 | 市售室内机 |
|---------|-------------|-----------|
| 扩充性 | 可灌安卓 App | 封闭式 |
| 通讯方式 | 标准 H.323 | 封闭式 |
| 安装工法 | 埋入或挂璧或移动分离型 | 埋入 |
| 触控方式 | 多点 | 单点 |
| 分辨率 | >800x480 | >600x320 |
| 接口方式 | RJ45 | 专用界面 |
| 整合性 | 高 | 需用厂牌商自我产品 |
| 内存扩充 | 有 | 无 |
| HDMI 支援 | 有 | 无 |



| 比较项目 | HA100 室内机 | 市售室内机 |
|-------|-------------|-------|
| 兼容性 | 只需加装 APP | 无 |
| 网络摄影机 | 支援 | 不支援 |
| 对讲功能 | 双向 | 单向 |
| 语言接口 | 繁中/简中/英文/日文 | 繁中/英文 |
| 无线支持 | 有 | 无 |
| AP 主机 | 可当 AP 主机 | 无 |
| 门禁支援 | 有 | 无 |

应用领域:



1. 住宅监控

*新住宅解决方案:

集中式管理只需网络线快速部署自
宅屋内设备的要求

*旧住宅解决方案:

挂壁式安装不受建物墙影响搭配无
线上网与下层其他厂牌快速串接



4. 远程对讲

*访客解决方案:

访客留言随时随地掌握来访人员

*外地解决方案:

实时访客轻松一键为访客提前开门
迎宾



2. 异地监控

*海外解决方案:

使用智能手机应用软件在异地实时
了解住宅内状况解决异地无法遥控
需求问题

5. 门禁保全

*离屋解决方案:

透过上网直接快速一键选择设定住
宅保全设定

*自定解决方案:

任意搭配组数自由选择保全设备连
锁启动



3. 排程管理

*家电解决方案:

自由排程时间开启家电设备解决住
户未到家已于提早开启自我管控家
电运作的需求

*节能解决方案:

根据住户自我生活习惯自由调整排
程启动节约省电的需求

6. 楼宇物业管理

*楼宇解决方案:

与中央主机互动快速部署小区信息
及接受住户需求信息

*租屋使用解决方案:

无缴费情况立即锁定为屋主提供实
时性的管理协助解除用户卡机时差
风险

安卓室内机 HA-100系列

| 订购信息 | | |
|--------------------------|-----|-----------|
| HA | 编码 | 型号类型 |
| ↓ | 101 | 埋入式(标准型) |
| | 102 | 埋入式(附按钮型) |
| | 103 | 挂壁式(可分离型) |
| | 071 | 挂壁式(可分离型) |
| | 072 | 挂壁式(附按钮型) |
| HA | | 完整下单型号 |
| * 注意:使用客制化厂牌年购单需达1000组以上 | | |