

# DR-100 系列

安卓門口機

## 特性

- 坎入式安卓作業系統,符合 H.323 通訊協議
- 全數位 TCP/IP 網路架構
- 10"/7"多點觸控螢幕
- 採用 200 萬畫素數位攝影機
- 可呼叫住戶及管理員
- 可外加門禁功能
- 具按鍵語音提示功能
- 可跨棟呼叫住戶
- 具備自動省電休眠功能
- 可應用任何刷卡系統
- 按鍵功能:觸控式或機械式
- 整合性:與 HA 室內機,門口機雙向影音對講
- 內建開鎖觸發迴路
- 與 SHC100 整合雲端控制系統
- 多種樣式安裝:埋入式/移動式



型號	DR-101	DR-102	DR-103	DR-104	AD-105
面板尺寸(英寸)	7" TFT-LCD	LED	無	無	7" TFT-LCD
攝影頭(畫素)	200萬	200萬	200萬	200萬	外加IPC
鍵盤	觸控式按鍵	機械式按鍵	無	無	機械式按鍵
刷卡機	內建	內建	內建	無	內建
最低照度(Lux)	0.2 Lux				
影音通話	雙向(可與室內機/管理機通話)				
工作溫度	-10~55°C				
通訊方式	TCP/IP				
輸出接口	RJ-45				
通訊協議	H.323				
作業系統	Andriod 4.0.1以上				
供應電源/消耗功率	直流DC 12V /5W	直流DC 12V /4W	直流DC 12V /3W	直流DC 12V /3.5~5W	

## 性能應用比較:



比較項目	DR100 門口機	市售門口機
擴充性	可灌安卓 App	封閉式
通訊方式	標準 H.323	封閉式
安裝工法	埋入或掛璧	埋入
觸控方式	有	無
刷卡功能	有	無
接口方式	RJ45	專用介面
整合性	高	需用廠牌商自我產品

比較項目	DR100 門口機	市售門口機
相容性	高	無
網路攝影機	H.264 支援	不支援
對講功能	雙向	單向
語言介面	繁中/簡中/英文/日文	繁中/英文
門禁支援	有	無

## 應用領域:



### 1. 住宅監控

#### \*新住宅解決方案:

集中式管理只需網路線快速部署自  
宅屋內設備的要求

#### \*舊住宅解決方案:

掛壁式安裝不受建物牆影響搭配無  
線上網與下層其他廠牌快速串接



### 4. 遠端對講

#### \*訪客解決方案:

訪客留言隨時隨地掌握來訪人員

#### \*外地解決方案:

即時訪客輕鬆一鍵為訪客提前開門  
迎賓



### 2. 異地監控

#### \*海外解決方案:

使用智慧手機應用軟體在異地即時  
了解狀況解決異地無法搖控開門需  
求問題

### 5. 門禁保全

#### \*離屋解決方案:

透過上網直接快速一鍵選擇設定住  
宅保全設定

#### \*自定解決方案:

任意搭配組數自由選擇保全設備連  
鎖啟動



### 3. 省電管理

#### \*省電解決方案:

自由待機時間開啟省電機能解決住  
戶省電運作的需求

### 6. 樓宇物業管理

#### \*樓宇解決方案:

與中央管理機互動快速部署社區資  
訊及接受住戶需求資訊

#### \*租屋使用解決方案:

無繳費情況立即鎖定為屋主提供即  
時性的管理協助解除用戶卡機時差  
風險

## 門口機-管理機 DR-100系列

訂購資訊		
DR	編碼	型號類型
	101	埋入式(標準型)
	102	埋入式
	103	掛壁式
	104	掛壁式
	105	座機式管理機
DR		

\*注意:使用客制化廠牌年購單需達1000組以上

# *DR-100 Series*

## Android Video Door Phone

### **Specification:**

- Embedded Android operating system, in line with H.323 protocol
- DigitAll TCP / IP network architecture
- 10 " / 7" multi-touch tents
- Use 2 million pixel digital camera
- You can call households and administrators
- Access Control function can be applied
- A key voice prompts
- call households across buildings
- With automatic power-saving sleep function
- You can use any credit card system



- Key Features: Touch or mechanical
- integration: With HA indoor unit, two-way video intercom door machine
- Built unlock trigger circuit
- Integration with the cloud SHC100 control system
- installation of a variety of styles: embedded / mobile



Model No.	DR-101	DR-102	DR-103	DR-104	AD-105
	Embedded	Embedded	In-Wall	In-Wall	Desktop
Display Size(Inch)	7" TFT-LCD	LED	No	No	7" TFT-LCD
Photography(pixels))	200 M	200 M	200 M	200 M	Extra IPC
keyboard	Touch buttons	Mechanical key	No	No	Mechanical key
Credit card machine	Built-in	Built-in	Built-in	No	Built-in
Minimum Illumination (Lux)			0.2 Lux		
Video call			Two-way (talk to the indoor / management unit)		
Operating temperature			-10~55°C		
communication			TCP/IP		
Output Interface			RJ-45		
Protocol			H.323		
Operating system			more than Andriod 4.0.1		
Power supply/consumption	DC 12V /5W	DC 12V /4W	DC 12V /3W	DC 12V /3.5~5W	

*Performance comparison:*



Item	DR100 Video Door Phone	Normal Door Phone
Scalability	Add to extend App	Closed type
Communication	Standard H.323	Closed type
Installation	Embedded or In-Wall	Embedded
Touch mode	With	No
刷卡功能	With	No
Interface	RJ45	Manufacturer Interface
Integration	Good	Need to use the self-brand products of suppliers

Item	DR100 Video Door Phone	Normal Door Phone
Compatibility	Good	No
Webcam	Support to H.264	No
Intercom function	Two way	One way
Language Interface	Traditional Chinese / Simplified Chinese /English/Japanese	Traditional Chinese/English
門禁支援	With	No

## *Applications:*



### 1. Residential Monitoring

- \* New Residential Solutions:  
Centralized network management line just fast subordinates from the house premises equipment requirements
- \* Old Residential Solutions:  
Wall influence was not built with a wall mount wireless Internet access and lower other brands rapid series



### 4. Remote Intercom

- \* Visitors Solution:  
Guestbook grasp visiting staff anytime
- \* Business trip Solution:  
Instant visitors relaxed a key to open the door ahead of micro visitors welcome



### 2. Remote Monitoring

- \* Overseas Solutions:  
Smartphone application software using instant understanding of the situation in the remote places cannot solve the problem remote door needs



### 5. Access Preservation

- \* Leaving the house solutions:  
A key to select the setting housing preservation settings via the Internet directly and quickly
- \* Custom Solutions:  
With the freedom to choose any number of group preservation equipment chain start



### 3. Energy-saving management



### 6. Building Property Management

- \* Energy-Saving Solutions:  
Free standby time addressing the needs of power-saving function household saving operation

- \* Building Solutions:  
Interaction with the central management unit for rapid deployment of community information and accepts household demand information
- \* Rent Homeowners use solutions:  
No payment of premiums to homeowners locked immediately provide real-time management assistance to lift the user card machine risk difference

***Video Door Phone-Management Unit DR-100 Series***

<i>Ordering Information</i>		
<b>DR</b>	<b>Code</b>	<b>Type</b>
	101	Embedded (Standard)
	102	Embedded
	103	In-Wall
	104	In-Wall
	105	Desktop management unit

  

<b>DR</b>		<b>Complete Ordering Code</b>	

\* Note: Using customer Logo launch to more than 1000 units for one year

# DR-100 系列

## 安卓门口机

### 特性

- 嵌入式安卓操作系统,符合 H.323 通讯协议
- 全数位 TCP/IP 网络架构
- 10"/7"多点触控萤幕
- 采用 200 万画素数字摄影机
- 可呼叫住户及管理员
- 可外加门禁功能
- 具按键语音提示功能
- 可跨栋呼叫住户
- 具备自动省电休眠功能
- 可应用任何刷卡系统
- 按键功能:触控式或机械式
- 整合性:与 HA 室内机,门口机双向影音对讲
- 内建开锁触发回路
- 与 SHC100 整合云端控制系统
- 多种样式安装:埋入式/移动式



型号	DR-101	DR-102	DR-103	DR-104	AD-105
	埋入式	埋入式	挂壁式	挂壁式	座机式
面板尺寸(英寸)	7" TFT-LCD	LED	无	无	7" TFT-LCD
摄影头(画素)	200万	200万	200万	200万	外加IPC
键盘	触控式按键	机械式按键	无	无	机械式按键
刷卡机	内建	内建	内建	无	内建
最低照度(Lux)	0.2 Lux				
影音通话	双向(可与室内机/管理机通话)				
工作温度	-10~55°C				
通讯方式	TCP/IP				
输出接口	RJ-45				
通讯协议	H.323				
操作系统	Android 4.0.1以上				
供应电源/消耗功率	直流DC 12V /5W	直流DC 12V /4W	直流DC 12V /3W	直流DC 12V /3.5~5W	

**性能应用比较:**


比较项目	DR100 门口机	市售门口机
扩充性	可灌安卓 App	封闭式
通讯方式	标准 H.323	封闭式
安装工法	埋入或挂壁	埋入
触控方式	有	无
刷卡功能	有	无
接口方式	RJ45	专用界面
整合性	高	需用厂牌商自我产品

比较项目	DR100 门口机	市售门口机
兼容性	高	无
网络摄影机	H.264 支援	不支援
对讲功能	双向	单向
语言接口	繁中/简中/英文/日文	繁中/英文
门禁支援	有	无

## 应用领域:



### 1. 住宅监控

#### \*新住宅解决方案:

集中式管理只需网络线快速部署自  
宅屋内设备的要求

#### \*旧住宅解决方案:

挂壁式安装不受建物墙影响搭配无  
线上网与下层其他厂牌快速串接



### 4. 远程对讲

#### \*访客解决方案:

访客留言随时随地掌握来访人员

#### \*外地解决方案:

实时访客轻松一键为访客提前开门  
迎宾



### 2. 异地监控

#### \*海外解决方案:

使用智能手机应用软件在异地实时  
了解状况解决异地无法遥控开门需  
求问题

### 5. 门禁保全

#### \*离屋解决方案:

透过上网直接快速一键选择设定住  
宅保全设定

#### \*自定解决方案:

任意搭配组数自由选择保全设备连  
锁启动



### 3. 省电管理

#### \*省电解决方案:

自由待机时间开启省电机能解决住  
户省电运作的需求

### 6. 楼宇物业管理

#### \*楼宇解决方案:

与中央管理机互动快速部署小区信  
息及接受住户需求信息

#### \*租屋使用解决方案:

无缴费情况立即锁定为屋主提供实  
时性的管理协助解除用户卡机时差  
风险

## 门口机-管理机 DR-100系列

订购信息		
DR	编码	型号类型
	101	埋入式(标准型)
	102	埋入式
	103	挂壁式
	104	挂壁式
	105	座机式管理机
DR		
* 注意:使用客制化厂牌年购单需达1000组以上		